


Despiro panels

Extremely durable and elegant proposals. They add prestige to both new investments and renovated buildings. The technologically advanced filling ensures increased performance parameters and allows the door to be used in projects co-financed from ecological funds.



Despiro

* backlight with cold, warm or neutral white light or blue light



DPO6 panel with DP60 pull handle



Materials from which the door can be made:

- Aluminium (ALU)




Available colour options:

- RAL
- Decor (some models)

Panel DP01



Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm frame
- INOX recessed application or in black

Minimum panel size

ALU: 500 x 1900


Maximum panel size

ALU: 1400 x 2600

Panel DP02



Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm frame
- INOX recessed application or in black

Minimum panel size

ALU: 731 x 1900


Maximum panel size

ALU: 1400 x 2600

Panel DP03



Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm frame
- INOX recessed application or in black

Minimum panel size

ALU: 500 x 2000


Maximum panel size

ALU: 1400 x 2600

Panel DP04



Technical drawing



- INOX recessed application or in black

Minimum panel size

ALU: 361 x 1900


Maximum panel size

ALU: 1400 x 2600

Panel DP05



Technical drawing




- Panel milling

Minimum panel size	Maximum panel size
ALU: 361 x 1900	ALU: 1400 x 2600

Panel DP06



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm frame
- Panel milling

Minimum panel size	Maximum panel size
ALU: 720 x 1900	ALU: 1400 x 2600

Panel DP07



Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float, periphery de-matted
- Rear glazing: thermofloat with a black warm frame
- Panel milling

Minimum panel size

ALU: 750 x 1900


Maximum panel size

ALU: 1400 x 2600

Panel DP08



Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float, periphery de-matted
- Rear glazing: thermofloat with a black warm frame

Minimum panel size

ALU: 500 x 2000


Maximum panel size

ALU: 1400 x 2600

Panel DP09



Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float, periphery de-matted
- Rear glazing: thermofloat with a black warm frame
- INOX recessed application

Minimum panel size

ALU: 750 x 1900


Maximum panel size

ALU: 1400 x 2600

Panel DP10



Technical drawing



- Smooth panel without a pattern, flush on both sides

Minimum panel size

ALU: 361 x 1900


Maximum panel size

ALU: 1400 x 2600

Panel DP11



Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm frame
- INOX recessed application or in black

Minimum panel size

ALU: 500 x 2000


Maximum panel size

ALU: 1400 x 2600

Panel DP12



Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float, periphery de-matted
- Rear glazing: thermofloat with a black warm frame

Minimum panel size

ALU: 750 x 1900


Maximum panel size

ALU: 1400 x 2600

Panel DP13



Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm frame
- INOX recessed application or in black

Minimum panel size

ALU: 720 x 2000

Maximum panel size

ALU: 1400 x 2600

Panel DP14



Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float, periphery de-matted
- Rear glazing: thermofloat with a black warm frame
- Panel milling

Minimum panel size

ALU: 500 x 2000


Maximum panel size

ALU: 1400 x 2600

Panel DP15



Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm frame
- INOX recessed application or in black

Minimum panel size

ALU: 700 x 2000


Maximum panel size

ALU: 1400 x 2600

Panel DP16



Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm frame
- Panel milling

Minimum panel size

ALU: 500 x 2000


Maximum panel size

ALU: 1400 x 2600

Panel DP17



Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm frame
- Panel milling

Minimum panel size

ALU: 750 x 2000


Maximum panel size

ALU: 1400 x 2600

Panel DP18



Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm frame
- INOX recessed application or in black
- Panel milling

Minimum panel size

ALU: 750 x 1900


Maximum panel size

ALU: 1400 x 2600

Panel DP19



Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm frame

Minimum panel size

ALU: 500 x 1900


Maximum panel size

ALU: 1400 x 2600

Panel DP20



Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float, periphery de-matted
- Rear glazing: thermofloat with a black warm frame

Minimum panel size

ALU: 750 x 1900

Maximum panel size


ALU: 1400 x 2600

Panel DP21

Panel DP22




Technical drawing



- INOX recessed application or in black

Technical drawing



- INOX recessed application or in black

Minimum panel size

ALU: 720 x 1900

Maximum panel size

ALU: 1400 x 2600

Minimum panel size

ALU: 650 x 1900


Maximum panel size

ALU: 1400 x 2600

Panel DP23



Technical drawing



- INOX recessed application or in black

Minimum panel size

ALU: 801 x 1900


Maximum panel size

ALU: 1400 x 2600

Panel DP24



Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm frame
- Panel milling

Minimum panel size

ALU: 700 x 1900


Maximum panel size

ALU: 1400 x 2600

Panel DP25



Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm frame
- INOX recessed application or in black

Minimum panel size

ALU: 650 x 1900


Maximum panel size

ALU: 1400 x 2600

Panel DP26



Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm frame
- Panel milling

Minimum panel size

ALU: 650 x 1900


Maximum panel size

ALU: 1400 x 2600

Panel DP27



Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm frame
- Grooved frame around the glazing

Minimum panel size

ALU: 600 x 2000


Maximum panel size

ALU: 1400 x 2600

Panel DP28



Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float, with transparent stripes
- Rear glazing: thermofloat with a black warm frame
- Panel milling

Minimum panel size

ALU: 550 x 1900

Maximum panel size

ALU: 1400 x 2600


Panel DP29



Panel DP30




Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm frame
- INOX recessed application

Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm frame
- INOX recessed application

Minimum panel size

ALU: 550 x 1900

Maximum panel size

ALU: 1400 x 2600

Minimum panel size

ALU: 550 x 1900


Maximum panel size

ALU: 1400 x 2600

Panel DP31



Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm frame
- INOX recessed application

Minimum panel size

ALU: 801 x 1900


Maximum panel size

ALU: 1400 x 2600

Panel DP32



Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm frame
- INOX recessed application

Minimum panel size

ALU: 550 x 1900


Maximum panel size

ALU: 1400 x 2600

Panel DP33



Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm frame
- INOX recessed application

Minimum panel size

ALU: 550 x 1900

Maximum panel size

ALU: 1400 x 2600

Panel DP34



Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm frame


Minimum panel size

ALU: 750 x 1900


Maximum panel size

ALU: 1400 x 2600

Panel DP35



Technical drawing



- Panel milling

Minimum panel size

ALU: 550 x 2000


Maximum panel size

ALU: 1400 x 2600

Panel DP36



Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm frame
- Panel milling

Minimum panel size

ALU: 600 x 1900


Maximum panel size

ALU: 1400 x 2600

Panel DP37



Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm frame
- INOX recessed application

Minimum panel size

ALU: 600x1900

Maximum panel size

ALU: 1400x2600

Panel DP38



Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm frame
- INOX recessed application

Minimum panel size

ALU: 650x2000


Maximum panel size

ALU: 1400x2600

Panel DP39



Technical drawing



- Panel milling

Minimum panel size

ALU: 700x2000

Maximum panel size

ALU: 1400x2600



DP05 panel with DP60 pull handle

Despiro Retro Line Panels

The Despiro Retro Line is a nod to traditional styling and classic elegance that never goes out of fashion. The doors are also available with an offset pivot axis, meaning they can open in both directions in the PIVOT version.



Despiro

* White lighting available in cool, warm, or neutral tones, or blue lighting.

** Applies to models with glazing.



RL01 panel with DP60 pull handle



Materials from which the door can be made:

- Aluminium (ALU)




Available colour options:

- RAL

Panel RL01



Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Middle glazing: float satinovo
- Rear glazing: thermofloat with warm edge spacer
- Panel embossing
- The pattern changes proportionally with the size

Minimum panel size

ALU: 620 x 1900


Maximum panel size

ALU: 1400 x 2600

Panel RL02



Technical drawing



- Panel embossing
- The pattern changes proportionally with the size

Minimum panel size

ALU: 620 x 1900


Maximum panel size

ALU: 1400 x 2600

Panel RL03



Technical drawing



- Panel embossing
- The pattern changes proportionally with the size

Minimum panel size

ALU: 620 x 1900


Maximum panel size

ALU: 1400 x 2600

Panel RL04



Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Middle glazing: float satinovo
- Rear glazing: thermofloat with warm edge spacer
- Panel embossing
- The pattern changes proportionally with the size

Minimum panel size

ALU: 850 x 1900


Maximum panel size

ALU: 1400 x 2600

Panel RL05



Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Middle glazing: float satinovo
- Rear glazing: thermofloat with warm edge spacer
- Panel embossing
- The pattern changes proportionally with the size

Minimum panel size

ALU: 750 x 1825


Maximum panel size

ALU: 1400 x 2600

Panel RL06



Technical drawing



- Front glazing: VSG 33.1 thermofloat
- Middle glazing: float satinovo
- Rear glazing: thermofloat with warm edge spacer
- Panel embossing
- The pattern changes proportionally with the size

Minimum panel size

ALU: 810 x 1900


Maximum panel size

ALU: 1400 x 2600

Panel **RL07**



Technical drawing



- Panel embossing
- The pattern changes proportionally with the size

Minimum panel size

ALU: 810 x 1900


Maximum panel size

ALU: 1400 x 2600

Panel **RL08**



Technical drawing



- Panel embossing
- The pattern changes proportionally with the size

Minimum panel size

ALU: 782 x 1900


Maximum panel size

ALU: 1400 x 2600

Panel **RL09**



Technical drawing



- Panel embossing
- The pattern changes proportionally with the size

Minimum panel size

ALU: 782 x 1900

Maximum panel size

ALU: 1400 x 2600




RL07 panel with DP60 pull handle



MasterLine 8 Despiro aluminium doors

The elegance and minimalism of the MasterLine 8 Despiro aluminium doors allow them to fit in with modern architectural trends. They are universal and perfectly complement traditional arrangements. The doors are made of sheet metal with a high degree of stiffness. Thanks to it, you can create sheet metal structures up to 1500 mm wide and 3000 mm high. They are available in the constantly expanded range of Despiro door panels, including the option of recessed handrail. This element can be highlighted in white (cold, warm or neutral) or blue.



MASTERLINE 8

* maximum door height is 3000 mm;

** for selected designs of Despiro panels



DP25 panel with DG59 handle



Materials from which the door can be made:

- Aluminium (ALU)



Available colour options:

- RAL
- Decor wood-like

MasterLine 8 Pivot aluminium door

The value of space is determined by the way it is used. Aluminium doors with pivot hinges can open inwards and outwards by shifting the axis of rotation. These versatile designs can extend from floor to ceiling. Pivot doors are designed especially for modern spaces where ergonomics is crucial. They will perfectly emphasize the avant-garde offices and present the smart character of the apartments.



MASTERLINE 8

* standard shift by 301 mm, maximum by 600 mm (depending on the width of the door leaf)

** DP4, DP5, DP10, DP11, DP16, DP22, DP23, DP25, DP35 - ask the Sales Department for more options



PL03 panel with KA1A recessed pull handle



Materials from which the door can be made:

- Aluminium (ALU)



Available colour options:

- RAL
- Decor wood-like

Door accessories

Our door accessories extend far beyond a wide selection of handles and pull bars in various shapes and finishes. We also provide advanced solutions for hinges and multi-point locks (espagnolettes), as well as mail slots, visors, and integrated access control systems. While this catalogue showcases our essential accessories, the complete range is available through our sales department.



DP15 panel with DP60 pull handle

ACCESS CONTROL DEVICES



Idecom
(integrated into the K1 250x150)



Sorex



Microswitch
(integrated into the F30 round bar)



Idecom
(integrated into the Q10 40x40)

There are devices with a numeric keypad, using RFID cards and scanning fingerprints.

VISORS



Visor with a diameter of 14 mm, satin chrome finish. Available for filling from 15 to 85 mm.

MAIL SLOTS



Available models: MILA ProStyle, MILA, GAVA

M1 HANDLE



M2 HANDLE



P GREENTEQ HANDLE



P45
HANDLE



P45B
HANDLE



P10
HANDLE



P8
HANDLE



P5
HANDLE



P1
HANDLE



P SERIES , Q SERIES
HANDLES

Tubular pull handles be equipped with electronics - upon individual request



PA10
HANDLE



PA45
HANDLE



QA10
HANDLE



QA45RX
HANDLE



QA90
HANDLE



Available in RAL colors:



DP30
SERIES



DP40
SERIES



DP50
SERIES



DP60
SERIES



DP70
SERIES



DP80
SERIES



RECESSED PULL HANDLE **KA1A**

MATCHING
FRAME FINISH



INOX



LED*
WARM WHITE



LED*
NEUTRAL WHITE



LED*
COLD WHITE



LED*
BLUE



* Available Despiro and MasterLine 8 Despiro doors only

DOOR HINGES



Roller hinges (SFS Wala WR)



Concealed hinges (KFV AXSENT)

DOOR LOCKS



Available espagnolettes: 3-point, 5-point, 4 rollers, hook and automatic

MOTOR FOR DOOR LOCKS



G-U Security Automatic motor available

DOOR CLOSERS



Available models: GEZE, G-U lockable or non-lockable, Geze Boxer, Dorma93b, Geze5000

HANDLE DG59



HANDLE 35A/1200

